

Fig.1




Fig.2




Fig.3

From \ To	DB ₁	DB ₂	DB ₃	Total
DB ₁	x_{11}	x_{12}	x_{13}	X_1
DB ₂	x_{21}	x_{22}	x_{23}	X_2
DB ₃	x_{31}	x_{32}	x_{33}	X_3
Keyword	x_{41}	x_{42}	x_{43}	X_4
Total	Y_1	Y_2	Y_3	

$$X_i = \sum_{j=1}^3 x_{ij}$$

$$Y_j = \sum_{i=1}^4 x_{ij}$$

Fig.4




Fig.5

From \ To	DB ₁	DB ₂	DB ₃	Total
DB ₁	10	20	30	60
DB ₂
DB ₃
Keyword	60	40	20	120
Total	

Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11

A diagram of a user interface form for login and registration. The form is a large rectangle labeled 205. Inside, there are two input fields: one for 'user' (labeled 2051) and one for 'password' (labeled 2052). Below these fields are two buttons: 'login' (labeled 2053) and 'register' (labeled 2054). The labels 2051, 2052, 2053, and 2054 are positioned to the right of their respective elements, with lines pointing to them. The label 205 is positioned to the left of the main form container.

205

user :

password :

login

register

2051

2052

2054

2053

Fig.12




Fig.13




Fig.14

user ID	user name	password	table ID	registration date
11	AAAA	****	1	YYYYMMDD
22	BBBB	****	2	YYYYMMDD
33	CCCC	****	3	YYYYMMDD

094905-0310
T01E30-50624660